



The QRB™ Quantum Reverse Buckling Rupture Disk

BSBSystems.com | BSB.ie

Visit our website for the most complete, up-to-date information



The QRB rupture disk provides a reverse buckling style disk in small sizes and low pressures. The QRB is ideal for applications less than 1 inch (25mm) and with lower pressure ratings. The reliable and accurate performance of the QRB has been proven in the aircraft, defense, automotive and OEM industries. Applications can be developed for low volume, starting at one unit, and upwards to high volume automated manufacturing.

Sample Applications

- Low volume, starting at one unit
- High volume, automated manufacturing
- Brass Sta-Kul
- Welded Assemblies
- Press Fit Assemblies
- Disk Cassettes

Features

- Superior high pressure cycle resistance / life
- Circular Scored Opening
- Pressure Cycle Resistant
- Disk sizes: 1/4" (6mm), 3/8" (9mm), 1/2" (12mm) and 3/4" (19mm)
- Resists full vacuum
- 90% operating ratio
- Standard burst tolerance +/- 5 %.
- Gas or liquid service capability (specify)
- Back pressure resistance always equal to burst rating; can be manipulated between 1.0 and 1.5 rating
- Standard materials: 316ss, nickel 200, Inconel® 600, Hastelloy® C and Monel®

Nominal Size		Burst Pressure			
in	mm	min		max	
		psig	barg	psig	barg
1/4	6	800	55.16	17,000	1172.11
3/8	9	800	55.16	14,000	965.27
1/2	12	500	34.47	10,500	723.95
3/4	19	350	24.13	5,000	344.74

Benefits

- Accurate and reliable burst ratings
- Superior performance in cycling service
- Withstands full vacuum
- Standard and custom holder designs are available
- Non-torque sensitive

BSBSystems.com | BSB.ie

Visit our website for the most complete, up-to-date information

Products, specifications and all data in this literature are subject to change without notice. Questions regarding product selection and specifications for specific applications should be directed to BS&B. All sales are subject to the BS&B companies' standard terms and conditions of sale. Nothing herein should be construed as a warranty of merchantability or fitness for a particular purpose. Hastelloy® is a trademark of Haynes International Inc. Monel® and Inconel® are trademarks of Special Metals Corporation.